

Struggling to see up close?

Make it **VIZZ**able

with **VIZZ**, a once-daily prescription eye drop that treats blurry near vision for up to 10 hours



IMPORTANT SAFETY INFORMATION

VIZZ (aceclidine ophthalmic solution) 1.44% is a prescription eye drop used to treat age-related blurry near vision (presbyopia) in adults.

Please see Important Safety Information throughout and full Prescribing Information at <https://www.vizz.com/prescribinginfo>.

VIZZ fits your needs


Treats blurry near vision with a **once-daily eye drop**

Works within **30 minutes**

Lasts up to **10 hours**

95%


of patients noticed an improvement in near vision after using VIZZ



IMPORTANT SAFETY INFORMATION (cont'd)

- Do not use VIZZ if you are allergic to any of the ingredients.
- The most common side effects that may be experienced while using VIZZ include: eye redness, eye irritation, temporary dim or dark vision, and headaches.

Frustrated by blurry near vision?



Stay in the moment with VIZZ.



For illustrative purposes only



V I Z Z

(aceclidine ophthalmic solution) 1.44%

- Be careful not to allow the vial tip to touch your eye or any surfaces to help avoid potential eye injury or contamination of the product. Discard the opened vial immediately after use.

Please see Important Safety Information throughout and full Prescribing Information at <https://www.vizz.com/prescribinginfo>.

VIZZ fits your lifestyle



“ VIZZ just makes things simpler and easier as a solution for blurry near vision, and you have more confidence about the things you have to do. ”

– **Sarah Jessica Parker**, real VIZZ user

Learn what others love about VIZZ



IMPORTANT SAFETY INFORMATION (cont'd)

- If you wear contact lenses, remove them prior to using VIZZ. After dosing, contact lenses can be reinserted after 10 minutes.
- If you use more than one topical eye medication, administer the medicines at least 5 minutes apart.
- You may experience temporary dim or dark vision after using VIZZ. Do not drive or operate machinery if vision is not clear.

What to expect with VIZZ

How do I use VIZZ?

Put one drop of VIZZ in each eye. Wait 2 minutes. Put a second drop in each eye.

Can I use VIZZ every day?

VIZZ is a once-daily eye drop that can be used every day.

What are the side effects?

VIZZ may lead to side effects such as eye redness, stinging upon instillation, dim vision, and headaches. Most side effects were temporary and self-resolving. Side effects may reduce with once-daily continued use.

- Seek immediate medical care if you experience sudden onset of flashing lights, floaters, or vision loss.

Please see Important Safety Information throughout and full Prescribing Information at <https://www.vizz.com/prescribinginfo>.



Ask your eye doctor about VIZZ

A once-daily prescription eye drop
that treats blurry near vision for up
to 10 hours



Learn more at [VIZZ.com](https://www.vizz.com)



IMPORTANT SAFETY INFORMATION (cont'd)

Please see Important Safety Information throughout and full Prescribing Information at <https://www.vizz.com/prescribinginfo>.

To report SUSPECTED ADVERSE REACTIONS, contact LENZ Therapeutics, Inc. at 1-888-711-LENZ or FDA at 1-800-FDA-1088 or www.fda.gov/medwatch.

© 2025 LENZ Therapeutics, Inc. All rights reserved. All trademarks are the property of their respective owners. US-ACE-1470-v1 (v1.0) 01/26

